

Specifications

Eaton EATS16



Eaton ATS rack PDU, 1U, Inputs (2) C20, 3.84 kW max, 16A, 200-240V, Outlets 8XC13:1XC19

Photo is representative



General specifications

PRODUCT NAME	Eaton ATS PDU
CATALOG NUMBER	EATS16
UPC	743172079404
PRODUCT LENGTH/DEPTH	430 mm
PRODUCT HEIGHT	43 mm
PRODUCT WIDTH	250 mm
PRODUCT WEIGHT	3.32 kg
COMPLIANCES	CE Marked
CERTIFICATIONS	CE

Product specifications

SPECIAL FEATURES

- Provides power redundancy to IT equipment
- Alternative to expensive redundant power supplies available from networking equipment vendors
- Compact, 1U rack form factor
- Seamlessly switches from one power source to the other
- LCD with metering and basic configuration capabilities

TYPE	ATS
FORM FACTOR	1U
OUTLET CONTROL	No

PACKAGE CONTENTS

- ATS
- Quickstart guide
- Safety instructions
- (2) Input cables: C19-C20 1.8m
- (2) Input cable lockers
- Plastic strips for output locking
- RS-232 serial cable
- Accessories for rack installation

OPERATING TEMPERATURE	0° to 40°C (32° to 104°F)
MOUNTING DIRECTION	Horizontal
COLOR	Black
INPUT CONNECTION	(2) C20
CORD LENGTH	2m
WATTAGE	3.84 kW max
AMPERAGE RATING	16A
INPUT VOLTAGE	200-240V
PHASE	Single-phase
FREQUENCY RATING	50/60 Hz
OUTLETS	(8) C13, (1) C19
NUMBER OF OUTPUTS C13	8

Resources

BROCHURES

[Eaton UPS and battery services - EN](#)

[Eaton UPS Services Quick Guide - EN](#)

COMPLIANCE INFORMATION

[EU declaration of conformity Eaton ATS](#)

NUMBER OF OUTPUTS C19	1
NUMBER OF OUTPUTS C20	2
NUMBER OF OUTLETS WITH EARTH PIN	9
SNMP	No
ETHERNET INTERFACE	No
SERIAL INTERFACE	No
MASS CONFIGURATION	No
ELECTRICAL CONNECTION	Connecting cord with plug
EVALUATION	Local
MOUNTING DIMENSION (METRICAL)	43
MOUNTING DIMENSION (STANDARDIZED)	482.6 mm (19 inch)
SWITCHABLE	No
OVER VOLTAGE CATEGORY	2
FITTED WITH:	Display Ampere Meter LED indication Mounting material
COMMUNICATION	No

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

