

# Eaton MBP3KI

Catalog Number: MBP3KI

Eaton HotSwap MBP maintenance bypass, 3000 VA, IEC, Input: C20, 200-240V, Outlets: (6) C13, (1) C19

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton HotSwap MBP maintenance bypass	MBP3KI
	<b>Model Code</b>
	Eaton HotSwap MBP IEC
<b>EAN</b>	<b>Product Length/Depth</b>
3553340684227	76.5 mm
<b>Product Height</b>	<b>Product Width</b>
50 mm	439 mm
<b>Product Weight</b>	<b>Warranty</b>
1.9 kg	2 year
<b>Compliances</b>	<b>Certifications</b>
CE Marked	CE

## Product specifications

### Number of Outputs C13

6

### Phase

Single-phase

### Electrical connection

Socket outlet

### Mounting dimension (standardized)

482.6 mm (19 inch)

### Form factor

1U

### Mounting direction

Horizontal/vertical

### Package contents

Maintenance Bypass

Cable locking system

Connection cable to the UPS

Rack-mounting kit

User manual

### Input connection

C20

### Fitted with:

LED indication

Mounting material

### Operating Temperature

0° to 40°C (32° to 104°F)

### Ethernet interface

No

### Number of outlets with earth pin

7

### Mass configuration

No

### Communication

No

### Number of Outputs C19

1

### Outlet control

## Resources

### Brochures

[Eaton UPS Services Quick Guide 2021](#)

[Eaton UPS and battery services](#)

### Compliance information

[EU declaration of conformity Eaton FlexPDU and Eaton Hot-Swap MBP](#)

No

Switchable

No

Input voltage

200-240V

Color

Black

SNMP

No

Over voltage category

2

Outlets

(6) C13, (1) C19

Type

Hotswap MBP

VA rating

3000 VA

Serial interface

No

Mounting Dimension (metrical)

50



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)